




BEARING PRECISION AXLE CORP.

INA PASEY25-N bearing units



PASEY25-N Bearing 2D drawings and 3D CAD models

Bearing No. PASEY25-N

Bore Diameter	25 mm
d	25 mm
S1	19,5 mm
Thread (Q)	Rp1/8
A	36 mm
A1	21 mm
B	27 mm
H	36,5 mm
H1	14,5 mm
H2	70 mm
J	103 mm
L	130 mm
N	11 mm
N1	19 mm
Weight	0,61 Kg
Basic dynamic load rating (C)	14 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.73
EAN	4012802794380
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block



BEARING PRECISION AXLE CORP.

Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GAY25NPPB
Seals	Double Lip Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row Radial Standard Shaft Height Metric With Grub Screw
Long Description	2 Bolt Pillow Block; 25MM Bore; 36.5MM Base to Center Height; Set Screw Mount; Ball Bearing; 95.275MM Minimum Bolt Spacing; 114.3MM Maximum Bolt Spacing; Relubricatable; Cast Iron; Double Lip Contact;
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	PASEY25
Weight / LBS	1.985
Bolt Spacing Minimum	3.751 Inch 95.275Millimeter
Length Thru Bore	1.063 Inch 27 Millimeter
Nominal Bolt Center to Center	4.1 Inch 105 Millimeter
Bolt Spacing Maximum	4.5 Inch 114.3Millimeter
Base to Center Height	1.437 Inch 36.5 Millimeter
Bore	0.984 Inch 25 Millimeter



BEARING PRECISION AXLE CORP.