




BEARING PRECISION AXLE CORP.

20 mm x 37 mm x 23 mm INA NKIA5904
complex bearings

Bearing No. NKIA5904



NKIA5904 Bearing 2D drawings and 3D CAD models

Size	20x37x23 mm
Bore Diameter	20 mm
Outer Diameter	37 mm
Width	23 mm
d	20 mm
D	37 mm
B	23 mm
F	25 mm
r_{\min}	0,3 mm
m	103 g / Weight
C_r	23700 N / Dynamic load rating (radial)
C_{0r}	25500 N / Static load rating (radial)
C_a	4900 N / Dynamic load rating (axial)
C_{0a}	7400 N / Static load rating (axial)
C_{ur}	4600 N / Fatigue limit load, radial
C_{ua}	330 N / Fatigue limit load, axial
n_G	17200 1/min / Limiting speed
Category	Thrust Roller Bearing
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP



BEARING PRECISION AXLE CORP.

Minimum Buy Quantity	N/A
Weight / Kilogram	0.1
EAN	4012802059601
Product Group	B00234
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Self Aligning	No
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Long Description	20MM Bore 1; 20MM Bore 2; 37MM Outside Diameter; 23MM Height; Combination - Needle Roller and Thrust Ball Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller
Inch - Metric	Metric
Category	Thrust Roller Bearings
UNSPSC	31171537
Harmonized Tariff Code	8482.80.00.40
Noun	Bearing
Keyword String	Combination
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NKIA5904
Weight / LBS	0.227
Bore 1	0.787 Inch 20 Millimeter
Outside Diameter	1.457 Inch 37 Millimeter
Height	0.906 Inch 23 Millimeter



BEARING PRECISION AXLE CORP.

Bore 2	0.787 Inch 20 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter